



**ARMOURY
WHEELS**

Legends on the Road

PREMIUM ALLOY WHEELS



- ARMOURBRITE • ARMOURCHROME
- POLISHED • MACHINED



IT'S THE FINISH THAT COUNTS



ARMOURBRITE

ARMOURBRITE is the next-generation premium finish created exclusively by Armoury Wheels. The best value finish on the market, designed for trucks that work hard and play hard, while looking good. The ultimate Easy-Clean wheel, reducing cleaning time by 90% with no need to EVER polish. For those who demand quality, performance and value for money. Affordable for every operator.

ARMOURCHROME

ARMOURCHROME, the best chrome wheel available for those that want the shiniest finish. Durable with a consistent, incredible shine that adds value to your vehicle like no other wheel possibly can. If you want to drive a legendary truck that makes people double-take, then our ARMOURCHROME finish is for you – no question!

POLISHED

With POLISHED you can have it all ... premium alloy wheels that shine and affordable enough to run on every vehicle. With its dual-sided polished finish, POLISHED is one of the most versatile, cost-effective options for your wheels.

MACHINED

If you're more concerned with lowering your fuel consumption and increasing your payload, then our MACHINED wheels are for you. Run these on the inner wheel or as your spare.x





US FITMENT WHEELS




US DRIVE/STEER - 22.5" X 8.25"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA27-26	Alloy Wheel 22.5 x 8.25, 10/285.75
ArmourChrome	ARC27-26	Alloy Wheel 22.5 x 8.25, 10/285.75
Polished	ARP27-26	Alloy Wheel 22.5 x 8.25, 10/285.75
Machine	ARM27-26	Alloy Wheel 22.5 x 8.25, 10/285.75



BUD STEER - 22.5" X 9"

FINISH	PART NO.	DESCRIPTION
ArmourChrome	ARC315-26	Alloy Wheel 22.5 x 9, 10/285



CLASSIC BUD STEER - 22.5" X 9"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA142-26	Alloy Wheel 22.5 x 9.0, 10/285.75
ArmourChrome	ARC142-26	Alloy Wheel 22.5 x 9.0, 10/285.75
Polished	ARP142-26	Alloy Wheel 22.5 x 9.0, 10/285.75





TRADITIONAL OFFSET STEER - 22.5" X 9"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA135-26	Alloy Wheel 22.5 x 9.0, 10/285.75
Polished	ARP135-26	Alloy Wheel 22.5 x 9.0, 10/285.75



CLASSIC OFFSET STEER - 22.5" X 9"

FINISH	PART NO.	DESCRIPTION
ArmourChrome	ARC281-26	Alloy Wheel 22.5 x 9.0, 10/285.75



CLASSIC SUPER SINGLE - 22.5" X 11.75"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA249-26	Alloy Wheel 22.5 x 11.75, 10/285.75
ArmourChrome	ARC249-26	Alloy Wheel 22.5 x 11.75, 10/285.75
Polished	ARP249-26	Alloy Wheel 22.5 x 11.75, 10/285.75




METRIC FITMENT WHEELS



EU/JAP DRIVE/STEER - 22.5" X 8.25"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA154	Alloy Wheel 22.5 x 8.25, 10/335
ArmourChrome	ARC154	Alloy Wheel 22.5 x 8.25, 10/335
Polished	ARP154	Alloy Wheel 22.5 x 8.25, 10/335
Machine	ARM154	Alloy Wheel 22.5 x 8.25, 10/335

Available in 26mm, 32mm, and Volvo stud hole size



EU/JAP OFFSET - 22.5" X 9"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA126	Alloy Wheel 22.5 x 9.0, 10/335
ArmourChrome	ARC126	Alloy Wheel 22.5 x 9.0, 10/335
Polished	ARP126	Alloy Wheel 22.5 x 9.0, 10/335

Available in 26mm, 32mm, and Volvo stud hole size



EU/JAP SUPER SINGLE - 22.5" X 11.75"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA246	Alloy Wheel 22.5 x 11.75, 10/335
ArmourChrome	ARC246	Alloy Wheel 22.5 x 11.75, 10/335
Polished	ARP246	Alloy Wheel 22.5 x 11.75, 10/335

Available in 26mm, 32mm, and Volvo stud hole size

Sleeved wheel nuts required for retro fitment.



MEDIUM TRUCK DRIVE/STEER - 19.5" X 6.75"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA70-32	Alloy Wheel 19.5 x 6.75, 8/275
ArmourChrome	ARC70-32	Alloy Wheel 19.5 x 6.75, 8/275
Polished	ARP70-32	Alloy Wheel 19.5 x 6.75, 8/275

Sleeved wheel nuts required.



SMALL TRUCK DRIVE/STEER - 17.5" X 6.75"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA191-32	Alloy Wheel 17.5 x 6.75, 6/222
ArmourChrome	ARC191-32	Alloy Wheel 17.5 x 6.75, 6/222
Polished	ARP191-32	Alloy Wheel 17.5 x 6.75, 6/222

Sleeved wheel nuts required.



SMALL TRUCK NARROW DRIVE/STEER - 17.5" X 6"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA75-32	Alloy Wheel 17.5 x 6.0, 6/222
Polished	ARP75-32	Alloy Wheel 17.5 x 6.0, 6/222

Sleeved wheel nuts required.



LIGHT TRUCK 6 STUD DRIVE/STEER - 16" X 5.5"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA217-32	Alloy Wheel 16.5 x 5.5, 6/222
Polished	ARP217-32	Alloy Wheel 16.5 x 5.5, 6/222

Sleeved wheel nuts required.



MITSUBISHI LIGHT TRUCK DRIVE/STEER - 16" X 5.5"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA352-32	Alloy Wheel 16.5 x 5.5, 5/208
Polished	ARP352-32	Alloy Wheel 16.5 x 5.5, 5/208

Sleeved wheel nuts required.



LIGHT TRUCK 5 STUD DRIVE/STEER - 16" X 5.5"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA236-32	Alloy Wheel 16.5 x 5.5, 5/203
Polished	ARP236-32	Alloy Wheel 16.5 x 5.5, 5/203

Sleeved wheel nuts required.

TRAILER WHEELS



PLANT & TAG - 19.5" X 7.5"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA160	Alloy Wheel 19.5 x 7.5, 8/275
ArmourChrome	ARC160	Alloy Wheel 19.5 x 7.5, 8/275
Polished	ARP160	Alloy Wheel 19.5 x 7.5, 8/275

*Available in 26mm and 32mm stud hole size



HEAVY HAULAGE - 17.5" X 6.75"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA227-26	Alloy Wheel 17.5 x 6.75, 10/225
ArmourChrome	ARC227-26	Alloy Wheel 17.5 x 6.75, 10/225
Polished	ARP227-26	Alloy Wheel 17.5 x 6.75, 10/225



HEAVY HAULAGE NARROW - 17.5" X 6"

FINISH	PART NO.	DESCRIPTION
ArmourBrite	ARA167-26	Alloy Wheel 17.5 x 6.0, 10/225
ArmourChrome	ARC167-26	Alloy Wheel 17.5 x 6.0, 10/225
Polished	ARP167-26	Alloy Wheel 17.5 x 6.0, 10/225



NEW

**Wheels
coming
soon...**

Truck Wheels
19.5 x 6.75 wheel

Trailer Wheels
**20 kg weight
saver**

**18 kg super
lightweight**



SPECIFICATION SHEET

Wheel Size	Part No.	PCD	Inset (mm)	Outset (mm)	Thickness (mm)	Number of Stud Holes	PCD2	Stud Hole Dia (mm)	Centre Bore Dia (mm)	Max Load (kg)	Weight (kg)	Valve	Tyre	Weight Saving
American Hub Pattern														
22.5 x 8.25	ARA27-26 ARC27-26 ARP27-26 ARM27-26	10/285	146	169	23	10	285	26	220	3365	23.3	TR544D	11R22.5 275/80R22.5 285/80R22.5 295/80R22.5	
22.5 x 9.00	ARC315-26	10/285	152	176	22.5	10	285	26	220	4536	27	TR544D	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	
22.5 x 9.00	ARA142-26 ARP142-26	10/285	152	176	22.5	10	285	26	220	4536	27	TR544D	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	
22.5 x 9.00	ARA135-26 ARP135-26	10/285	79	108	29	10	285	26	220	4535	25.4	TR542	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	
22.5 x 9.00	ARC281-26	10/285	79	104	25	10	285	26	220	4500	24.6	54MS	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	
22.5 x 11.75	ARA249-26 ARC249-26 ARP249-26	10/285	120	145	25	10	285	26	220	4500	26.5	54MS	385/65R22.5	
Euro, Japanese and ISO Hub Pattern														
16 x 5.5	ARA236-32 ARP236-32	5/203	105	120	15	5	203	32	146	1320	9	TR553C	7.00R16LT 215/85R16	8kg
16 x 5.5	ARA352-32 ARP352-32	5/208	105	120	15	5	208	32	150	1285	9	TR553C	7.00R16LT 215/85R16	8kg
16 x 5.5	ARA217-32 ARP217-32	6/222	106	122	16	6	222	32	164	1320	8.6	TR553C	7.00R16LT 215/85R16	9kg
17.5 x 6.00	ARA75-32 ARP75-32	6/222	109	128	19	6	222	32	164	1750	13.5	54MS	32.5SR22	10kg
17.5 x 6.75	ARA191-32 ARC191-32 ARP191-32	6/222	116	135	19	6	222	32	164	2240	12.9	TR553C	9R17.5 235/75R17.5	10kg
19.5 x 6.75	ARA70-32 ARC70-32 ARP70-32	8/275	127	147	20	8	275	32	220	2500	16.9	70MS-07N	9R19.5 225/70R19.5 245/70R19.5	12kg
22.5 x 8.25	ARA154-26 ARC154-26 ARP154-26 ARM154-26	10/335	144	167	23	10	335	26	281	3550	23.3	70MS-07N	11R22.5 275/80R22.5 285/80R22.5 295/80R22.5	17kg
22.5 x 8.25	ARA154-32 ARC154-32 ARP154-32 ARM154-32	10/335	144	167	23	10	335	32	281	3550	23.3	70MS-07N	11R22.5 275/80R22.5 285/80R22.5 295/80R22.5	17kg
22.5 x 9.00	ARC126-26EU ARA126-26EU ARP126-26EU	10/335	79	104	25	10	335	26	281	4500	23.1	54MS	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	17kg
22.5 x 9.00	ARC126-32EU ARA126-32EU ARP126-32EU	10/335	79	104	25	10	335	32	281	4500	23.1	54MS	12R22.5 285/80R22.5 315/80R22.5 295/80R22.5	17kg
22.5 x 11.75	ARA246-26 ARC246-26 ARP246-26	10/335	135	160	25	10	335	26	281	4500	24.2	54MS	385/65R22.5	16kg
22.5 x 11.75	ARA246-32 ARC246-32 ARP246-32	10/335	135	160	25	10	335	32	281	4500	24.2	54MS	385/65R22.5	16kg
Trailer Wheels														
17.5 x 6.00	ARA167-26 ARC167-26 ARP167-26	10/225	115	135	19	10	225	26	179	2500	13.3	54MS	225/90R17.5	
17.5 x 6.75	ARA227-26 ARC227-26 ARP227-26	10/225	120	141	21	10	225	26	179	2500	13.2	TR553C	9R17.5 235/75R17.5	
19.5 x 7.5	ARA160-26 ARC160-26 ARP160-26	8/275	134	155	21	8	275	26	220	3000	17.5	70MS-07N	265/70R19.5 275/70R19.5 285/70R19.5	
22.5 x 8.25	ARA27-26 ARC27-26 ARP27-26 ARM27-26	10/285	146	169	23	10	285	26	220	3365	23.3	TR544D	11R22.5 275/80R22.5 285/80R22.5 295/80R22.5	
22.5 x 8.25	ARA154-26 ARC154-26 ARP154-26 ARM154-26	10/335	144	167	23	10	335	26	281	3650	24.4	70MS-07N	11R22.5 275/80R22.5 285/80R22.5 295/80R22.5	

Legends *on the* Road



**ARMOURY
WHEELS**

Legends on the Road

1300 005 576

armourywheels.com.au